

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2588	((voice or speech) near (recogni\$4) near (\$3system)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 10:28
S2	66	((voice or speech) near (recogni\$4) near (\$3system)).ab. and activate and command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 08:27
S3	8	((voice or speech) near (recogni\$4) near (\$3system)).ab. and ((cpu or processor) with (standby or suspend\$2 or sleep or off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 08:43
S4	251	((voice or speech) near (recogni\$4) near (\$3system)).ab. and (standby or suspend\$2 or sleep or off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 09:24
S5	25	((voice or speech) near (recogni\$4) near (\$3system)) same (standby or suspend\$2 or sleep or off)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 09:29
S6	1	(((\$3system) near (standby or suspend\$2 or sleep)).ab. and ((voice or speech) adj (recogni\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 09:48
S7	207	(subsystem).ab. and ((voice or speech) adj (recogni\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 10:25
S8	42	((subsystem).ab. and ((voice or speech) adj (recogni\$4))) and (standby or suspend\$2 or sleep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 09:58
S9	58	((subsystem).ab. and ((voice or speech) adj (recogni\$4))) and (standby or suspend\$2 or sleep or inactiv\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 09:58
S10	9	(subsystem).ab. and ((voice or speech) adj (recogni\$4)) and (e\$1store or e\$1commerce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 10:26
S11	5	((voice or speech) near (recogni\$4) near (\$3system)).ab. and (e\$1store or e\$1commerce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 10:29
S12	171	database with synch\$ with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 11:28

S13	69	(database with synch\$ with memory) and (off or standby or sleep or suspend\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 11:16
S14	47	database with synch\$ with dis\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 11:36
S15	3	database with synch\$ same (dis\$1 with (off or standby or suspend\$2 or sleep))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/10/28 11:37
S16	9057	(common shar\$3) near3 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:09
S17	65681	(common shar\$3) near3 (database memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:10
S18	67053	(low alternate secondary) adj3 (system subsystem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:22
S19	154	S17 same S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:11
S20	60	S17 with S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:12
S21	1631	low adj2 power adj2 (system subsystem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:22
S22	4	S17 same S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:23
S23	45	S17 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:58
S24	48	S21 same (detach\$4 remov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:04
S25	52370	(sync\$4 synchroniz\$4) near3 data\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:03

S26	1709	S25 same (detach\$4 remov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:04
S27	564	S25 with (detach\$4 remov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:04
S28	18	S25 same (detach\$4 remov\$4) near (system subsystem hand\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:05
S29	46	S25 same (detach\$4 remov\$4) near3 (system subsystem hand\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:12
S30	1370	(activat\$3 on) near5 (hand\$4 pda) same (computer host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:13
S31	14	(activat\$3 on) near5 (hand\$4 pda) same (computer host) with (low sleep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:19
S32	4	(activat\$3 on) near5 (hand\$4 pda) same (computer host) with (idle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:21
S33	2	(activat\$3 on) near5 (hand\$4 pda) same (computer host) with low adj3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:21
S34	45	(activat\$3 on) with (computer host) with low adj3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:29
S35	17444	(switch\$3) with (system subsystem) with low	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:36
S36	660	(switch\$3) with (system subsystem) with low adj3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:36
S37	79	(switch\$3) adj3 (system subsystem) with low adj3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:38
S38	6	(activat\$3 on switch\$3) adj3 (alternate secondary low) adj2 (system subsystem) with low adj3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:39

S39	18	(activat\$3 on switch\$3) adj3 (alternate secondary low) adj2 (system subsystem) with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:39
S40	797	(notebook portable) with (activat\$3 on switch\$3) near3 (pda hand\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:26
S41	4	(notebook portable) near5 low with (activat\$3 on switch\$3) near3 (pda hand\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:27
S42	28	(notebook portable) near5 (mode state) with (activat\$3 on switch\$3) near3 (pda hand\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 09:27
S43	9	low adj2 power near5 distribut\$3 adj2 (mode state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 11:14
S44	22	clos\$3 near5 (notebook portable) with low adj2 power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 11:14